



ARKTURA



# Atmosphera® Contour



---

**Adaptive** Ceiling Baffles

*Fueling Possibilities®*


# Our Key Features

Contour's curving fins can really generate a beautiful visual flow through a space while offering maximum flexibility for integrating building system elements. Because the modules are custom-made, you can define the amount of movement in the fins to meet your design's needs fitting perfectly to the envelope of your space. Contour's panels are available in either powder-coated steel, for a bold look, or in our Soft Sound® material, for acoustic comfort.



## Reduce Noise & Enhance Acoustics

Atmosphera®'s Soft Sound® material reduces the impact of noise from everyday annoyances like ringing, typing, and chatter resulting in a more pleasant and productive environment. Atmosphera®'s material works in concert with the design to help reduce and control reverberations leaving a lasting impression at scales ranging from assembly halls to conference rooms.




## No Field Trimming Necessary

All modules are built to your unique project specifications, removing the need for any field trimming and assuring easy installation.




Scan the QR or Click to Learn More about Atmosphera®

## Our Key Features




### Expansive Color Library

Choose from a large library of Soft Sound® colors and wood textures. Mix and match colors to accent fins and complement the color scheme of your space.




### Customizable Topography

Atmosphera® offers a range of configurable options, allowing you to customize fin topography to fit your space and design vision, with the help of our project team.



### Open Plan Accessibility

Atmosphera®'s open design makes integrating systems above or below the modules simple and feasible. Easily removable fins and open structure makes accessing lights, HVAC, rigging points, plumbing, AV equipment, and life safety systems easy for your maintenance team.




### Dynamic Looks From All Angles

The wavering undulations of Atmosphera® fins provide great looks from wherever you are looking. Steel or Soft Sound® fins offer proprietary curved baffle system with no visible hardware.

# Inspiration



**Create Dynamic Lighting**



**Design an Eye-Catching Ceiling Feature**



**Achieve Impactful Acoustic Design**


# Overview

- 1 Customization Process
- 2 Understanding the System
- 3 Available Finishes
- 4 Product Specifications



## 1 Customization Process

Atmosphera® Custom lets you tailor your baffle design to your creative vision and the unique needs of your space. Our project management team is here to guide you through the process.

### Acoustically Attenuate with Subtly Curving Soft Sound® Fins




### Achieve More Dynamic Curvature with Steel Fins




## 2 Understanding the System

### Single Module

Atmosphera® Contour's curving fins are available in both Arktura's lightweight & durable Soft Sound® acoustical material and steel.




**Soft Sound® fin**



12 mm


**Steel fin**



20 GA

### Multiple Modules

Modules can be continuously tiled in multiple directions in plan, using the provided connecting brackets.



## ② Understanding the System


### Understanding the Module

#### Plan

Atmosphera® Contour lets you design undulations in plan. Create flowing designs that create your desired look while adapting to and concealing building elements such as sensors, sprinklers, and lighting.

Steel: 93% Open  
Soft Sound®: 83% Open

--- Gap between Module Fins.  
(1" Fin End to Fin End)




#### Elevation

Define the depth and length of fins.


Depth Range: 5" to 16"

Max fin length Soft Sound®: 8'-6"

Max fin length Steel: 11'-11"





#### Side View




## ② Understanding the System

### Attachment Details

Atmosphera® systems are designed for ease of install and assembly. Use available joining brackets to achieve seamless fin to fin connections across modules with ease.



Unistrut Connector and  
Rib End to End Connection




3


## Available Finishes

### Soft Sound® Fins

**Soft Sound®**  
**Vivids**  
Standard



Nori




Tidal




Seafoam



Bamboo




Cosmos




Plum



Azalea



Sorbet




Buttercream



Blush

**Soft Sound®**  
**Elementals**  
Standard



Ube




Baltic




Caspian




Cortez




Honey




Sienna




Truffle



Morel



Cypress




Pebble

⚠ Due to the nature of non-woven materials, light may pass through Soft Sound® in any thickness or color. A translucent appearance is most apparent in lighter colors and thin material when a light source is present behind the material. Arktura makes no claims or warranties about the material performing as opaque in any circumstance. To verify a product's performance for light transmittance, a mockup of the specific intended use is recommended.


### ③ Available Finishes

#### Soft Sound® Fins

**Soft Sound®  
Essentials**  
Standard



White



Snow




Marble




Heather Gray



Graphite




Carbon



Onyx




Apple




Tangerine




Lemon




Taupe




Sand



Kiwi



Whisper



Sky Blue



Denim

**Soft Sound®  
Wood Texture**  
Premium

ⓘ As with natural wood, variation in color and grain is expected and grain will not align across panels.

Face



Gray Ash



White Oak



Golden Oak



Oak



American Walnut



Charred Oak

Core /  
Edge

Gray Ash



White Oak



Golden Oak



Oak




American Walnut




Charred Oak

Face



Charred Ash



Ebony

Core /  
Edge

Charred Ash



Ebony

ⓘ Due to the nature of non-woven materials, light may pass through Soft Sound® in any thickness or color. A translucent appearance is most apparent in lighter colors and thin material when a light source is present behind the material. Arktura makes no claims or warranties about the material performing as opaque in any circumstance. To verify a products performance for light transmittance, a mockup of the specific intended use is recommended.

### ③ Available Finishes

#### Steel Fins

**Powder Coat**

Standard Finish  
Inspired by our  
Vivids Collection



Seaweed

Oasis

Mint

Tropica

Moonwalk



Berry

Ruby

Papaya

Lemonade

Pismo

**Powder Coat**

Standard Finish  
Inspired by our  
Elementals Collection



Garnet

Seaside

Haze

Seaglass

Harvest



Earthen

Cacao

Terra

Evergreen

Basalt

 All premium and standard finishes shown are designed for interior specifications. Products may be specified for exterior use, and with alt treatments required by local code or facility, including custom color match or specialty finishes. Any changes to specification from interior standard or interior premium will result in a custom powder coat fee.

### ③ Available Finishes

#### Steel Fins

##### Powder Coat

Standard Finish  
Inspired by our  
Essentials Collection



##### Powder Coat

Premium Metallic  
Finish



##### Custom Powder Colors

We offer premium non-stock  
RAL and custom color match  
options as well. Contact  
your sales rep for more  
information.



\* This color was designed to pair with Armstrong color "WH" grid and trim.

 All premium and standard finishes shown are designed for interior specifications. Products may be specified for exterior use, and with alt treatments required by local code or facility, including custom color match or specialty finishes. Any changes to specification from interior standard or interior premium will result in a custom powder coat fee.

## 4

## Product Specifications

## System Specs

|                          |                                  |                         |
|--------------------------|----------------------------------|-------------------------|
| <b>Fin Material</b>      | 12mm Soft Sound® (PET)           | 20GA Steel              |
| <b>Module Dimension</b>  | 7'6" Fin x 12' Frame Max         | 10' Fin x 12' Frame Max |
| <b>Fin Depth</b>         | 5"-16"                           | 5"-16"                  |
| <b>Openness in Plan</b>  | 89-92%                           | 93-94%                  |
| <b>Frame Material</b>    | Steel                            |                         |
| <b>Fire Rating</b>       | ASTM E84 - Class A               |                         |
| <b>Acoustics</b>         | True NRC®: Results Vary          |                         |
| <b>Attachment Method</b> | ¾" Threaded Rod (By Others)      |                         |
| <b>Accessibility</b>     | Yes, Removable clips at each fin |                         |

Patented

Copyright ©2016-2025 Arktura LLC. All rights reserved.