



A R K T U R A

SoundBar®




Standard Baffles

Our Key Features

SoundBar® acoustical baffle & lighting system delivers high performance noise reduction and sleek integrated illumination in a single cost-effective, versatile product. Choose from an assortment of interconnecting lengths, widths, and depths in no light, or Up, or Down lighting configurations, with power integrated into its suspension cable, simplifying install and removing unsightly cord clutter. Its Arktura Soft Sound® acoustical material construction makes SoundBar® capable of achieving NRC ratings of up to 1.15. Units are available in a wide range of colors, including wood textures, and can be easily mixed and arranged as desired to achieve an endless array of dynamic layouts. Use SoundBar® to bring an impactful combination of style and function to your next project.




Scan the QR or Click to Learn
More about SoundBar®



Reduce Noise & Enhance Acoustics


SoundBar®'s Soft Sound® material reduces the impact of noise from everyday annoyances like ringing, typing, and chatter resulting in a more pleasant and productive environment. Its material works in concert with the design to help reduce and control reverberations leaving a lasting impression at scales ranging from assembly halls to conference rooms.



Range of Profiles & Expanding Soft Sound® Library


SoundBar® is available in a range of lengths, widths, and configurable options, giving you complete design flexibility in any space.

Our Key Features




Integrated Lighting Options

SoundBar® offers two lighting options, Up or Down, allowing you to illuminate spaces in a variety of functional and decorative ways.



Versatile Endcaps & Universal Joiner Bracket

Choose end caps that blend with your color choice or choose a color scheme that works with the branding of the space. Combine SoundBars with joiner brackets, resulting in a seamless acoustic beam.




Arktura

Others

Minimal Hanging & Power Hardware

SoundBar® reduces the visual clutter of hanging and lighting cables with one powered cable on each end.



Compatible with SoftSpan®

SoundBar® offers connectivity with SoftSpan® 24, 48, and 48A modules and perimeter and corner beams to create a multitude of unique layouts with visual continuity across a space.

Inspiration



Mix and Match Soft Sound® Material and SoundBar® Lengths for Unique Designs



Integrate Acoustic Control and Lighting



SoundBar® is Also Available in Wood Texture

Overview


- 1 Understanding the System
- 2 Optional Accessory
- 3 Available Finishes
- 4 Product Specifications

1 Understand the System

Standard Configurations

Choose from four available SoundBar® configurations, all made with Soft Sound® acoustical material.


Top View



SoundBar®




SoundBar® Up



SoundBar® Down


Bottom View



SoundBar®




SoundBar® Up




SoundBar® Down

End Cap / Cover Options

Choose from our Universal Metal or Soft Sound® End Cap or End Cover. End Caps and Covers are universal to SoundBar® and SoftSpan® baffles, modules, and accessory end conditions.



Universal Metal End Cap



Soft Sound® End Cover

1

Understanding the System


Dimensions

SoundBar® is available in one foot increments of two to nine feet in length, in depths of 4", 6", and 10", and widths of 3" and 4". SoundBar® 4" x 4" Baffles are not offered as a option to this system due to Arktura's commitment to material efficiency. For complete list of compatible modules to connect with SoundBar® Universal Joiner Brackets, please reference pg. 10 of this Brochure.








Widths



Lengths



Depths



① All dimensions nominal.



1 Understanding the System

Attachment Details


SoundBar® modules utilize $\frac{1}{16}$ " stainless cable and quick release attachments for ease of installation.

Joiner attachments are available for seamless bar to bar connection.


 SoundBar® (no light) with cable hung attachment shown.



SoundBar®



SoundBar® Up



SoundBar® Down


1 Understanding the System

Attachment Details - With Lights

SoundBar® lights can be powered through the system's copper core stainless steel suspension cable.

 SoundBar® Up light with cable hung shown.

* Refer to Installation Manual or Contact Your Rep for More Info.





1 Understanding the System

Multiple Attachment Options



SoundBar® Up and Down can be Cable Hung, while No Light Baffles offer five attachment methods. All designs off three end conditions (Powder Coated End Cap, Soft Sound® End Cover, or Joiner Block), to specify, request, and approve Submittals.

Cable Mount



① SoundBar® Up or Down are available ONLY as Cable Hung.





All Thread



Strut Mount





Grid Mount



Direct Mount


Available in both wall & ceiling attachment.




2 Optional Accessories

Inner L and Outer L

Expand your vision with optional Inner L and Outer L corners for your SoundBar® system, allowing you to reach new levels of design.




Inner L's




Outer L's

Attachment - Direct Mount




Elevation

Height & widths depends on the selected SoundBar® Inner and Outer L corner.




Make Inner L and Outer L corner transitions with ease by connecting to the Award Winning SoundBar® Family of Baffles by pairing 3" or 4" Wide Baffles to L's.

Attachment - Direct Mount to Cable Hung



Elevation



❗ Direct Attachment is recommended for WALL application.
Alternate Methods may be specified for Deck or Ceiling Attachment Methods.

❗ Contact your Arkтура Rep. to request Product Installation Manuals

2

Optional Accessories

Connectivity with SoftSpan®

Create unique layouts for acoustics and lighting by combining SoftSpan® modules and perimeter beams and corners with SoundBar® baffles. Our module joining bracket allows for simple connectivity between the two systems.

SoftSpan® 24

Compatible **SoundBar®** Module Profiles

Width	Height	Length
3"	4"	2', 3', 4', 5', 6', 7', 8' & 9'

SoftSpan® 48

Compatible **SoundBar®** Module Profiles

Width	Height	Length
4"	10"	2', 3', 4', 5', 6', 7', 8' & 9'


SoftSpan® 48A

Compatible **SoundBar®** Module Profiles


Width	Height	Length
4"	6"	2', 3', 4', 5', 6', 7', 8' & 9'
4"	10"	2', 3', 4', 5', 6', 7', 8' & 9'

 9' length not available in SoundBar® Up or Down. See install manuals for more information on connectivity.

Example Perspective View



Example Plan View



2 Optional Accessories

SoftSpan® Closure Corner

Create unique acoustic layouts by combining optional accessories such as SoftSpan® Closure Corner to connect to SoundBar® baffles. Our module joining bracket allows for simple connectivity between the two systems.

Compatible **SoftSpan® 24** Module Profiles

Width	Height	Length
3"	4"	2', 3', 4', 5', 6', 7', 8' & 9'

Compatible **SoftSpan® 48** Module Profiles


Width	Height	Length
4"	10"	2', 3', 4', 5', 6', 7', 8' & 9'

Compatible **SoftSpan® 48 A** Module Profiles


Width	Height	Length
4"	10"	2', 3', 4', 5', 6', 7', 8' & 9'

 9' length not available in SoundBar® Up or Down. See install manuals for more information on connectivity.

Example Perspective View




Example Plan View




3 Available Finishes

Module Color - Soft Sound® Baffle

Soft Sound®
Vivids
Standard



Soft Sound®
Elementals
Standard




ⓘ Due to the nature of non-woven materials, light may pass through Soft Sound® in any thickness or color. A translucent appearance is most apparent in lighter colors and thin material when a light source is present behind the material. Arktura makes no claims or warranties about the material performing as opaque in any circumstance. To verify a products performance for light transmittance, a mockup of the specific intended use is recommended.

③ Available Finishes


Module Color - Soft Sound® Baffle

Soft Sound® Essentials Standard



Soft Sound® Wood Texture Premium

 As with natural wood, variation in color and grain is expected and grain will not align across panels.




 Due to the nature of non-woven materials, light may pass through Soft Sound® in any thickness or color. A translucent appearance is most apparent in lighter colors and thin material when a light source is present behind the material. Arktura makes no claims or warranties about the material performing as opaque in any circumstance. To verify a products performance for light transmittance, a mockup of the specific intended use is recommended.

3 Available Finishes

End Cover Color - Soft Sound®

SoundBar® & SoftSpan® Universal Endcaps are available in Soft Sound® End Covers or Metal End Caps, choose from the Standard Vivids, Elementals and Essentials or Premium Wood Texture Options for acoustic attenuation, or select from our expanding Powder Coat finish options. The possibilities are seemingly endless.

Soft Sound®
End Cover
Vivids
Standard



Soft Sound®
End Cover
Elementals
Standard



ⓘ Due to the nature of non-woven materials, light may pass through Soft Sound® in any thickness or color. A translucent appearance is most apparent in lighter colors and thin material when a light source is present behind the material. Arktura makes no claims or warranties about the material performing as opaque in any circumstance. To verify a products performance for light transmittance, a mockup of the specific intended use is recommended.

③ Available Finishes

End Cover Color - Soft Sound®


SoundBar® & SoftSpan® Universal Endcaps are available in Soft Sound® End Covers or Metal End Caps, choose from the Standard Vivids, Elementals and Essentials or Premium Wood Texture Options for acoustic attenuation, or select from our expanding Powder Coat finish options. The possibilities are seemingly endless.

Soft Sound® End Cover Essentials Standard



Soft Sound® End Cover Wood Texture Premium

① As with natural wood, variation in color and grain is expected and grain will not align across panels.



① Due to the nature of non-woven materials, light may pass through Soft Sound® in any thickness or color. A translucent appearance is most apparent in lighter colors and thin material when a light source is present behind the material. Arktura makes no claims or warranties about the material performing as opaque in any circumstance. To verify a products performance for light transmittance, a mockup of the specific intended use is recommended.

③ Available Finishes

Universal Metal End Cap Color

Powder Coat
Standard Finish
Inspired by our
Vivids Collection



Powder Coat
Standard Finish
Inspired by our
Elementals Collection



① All premium and standard finishes shown are designed for interior specifications. Products may be specified for exterior use, and with alt treatments required by local code or facility, including custom color match or specialty finishes. Any changes to specification from interior standard or interior premium will result in a custom powder coat fee.

③ Available Finishes

Universal Metal End Cap Color

Powder Coat


Standard Finish



T-Grid White*
(Matte)




Arktura White
(Matte)




Brilliant White
(Gloss)




Silver Metallic
(Semi Gloss)




Jet Black
(Matte)




Aviator Gray
(Gloss)




Aviator Gray
(Matte)




Steel Gray



Shadow



Midnight



Coffee




Raw Umber



Caramel



Sandstone



Oat



Sunflower



Torch



Spirit Red
(Matte)



Azure




Blue Steel




Forest Green

Powder Coat

Premium Metallic
Finish




Chilled Champagne
(Semi Gloss)




Burnished Bronze
(Semi Gloss)

Custom Powder Colors

We offer premium non-stock RAL and custom color match options as well. Contact your sales rep for more information.



Non-stock
RAL



Non-stock
Metallic

* This color was designed to pair with Armstrong color "WH" grid and trim.

 All premium and standard finishes shown are designed for interior specifications. Products may be specified for exterior use, and with alt treatments required by local code or facility, including custom color match or specialty finishes. Any changes to specification from interior standard or interior premium will result in a custom powder coat fee.

4

Product Specifications & Certifications

System Specs

Dimensions	Widths	Heights	Lengths
	3"	4", 6" & 10"	2', 3', 4', 5', 6', 7, 8' & 9'
	4"	6" & 10"	2', 3', 4', 5', 6', 7, 8' & 9'
Material	12mm Soft Sound® (PET)		
Fire Rating	ASTM E84 - Class A		
Acoustics	True NRC® 1.15: SoundBar® (4"x10"x96") 6" O.C ; F-100 Method True NRC® 0.90: SoundBar® (4"x10"x96") 12" O.C ; F-100 Method True NRC® 0.55: SoundBar® (3"x10"x96") 6" O.C ; F-100 Method True NRC® 0.40: SoundBar® (3"x10"x96") 12" O.C ; F-100 Method True NRC® 0.60: SoundBar® (4"x10"x96") 12" O.C ; E300 Method True NRC® 0.50: SoundBar® (3"x10"x96") 12" O.C ; E300 Method		
Attachment Method	Cable Hung, All Thread, Strut Mount, Grid Mount, Direct Mount		
Accessibility	Yes, quick release cables , Grid Mount, and Direct Mount.		

* 9' Length only available in No-Light.

Product Certifications

Electrical Safety Certification

Learn more at intertek.com/marks/etl/




Certification for Lighting

Patented
Copyright ©2020-2025 Arktura LLC. All rights reserved.


Lighting Specs

Arkтура SoundBar® Down/Up Lighting integrates seamlessly to SoundBar® & SoftSpan® Systems. Eco options available for additional sustainable functionality.



 Only Available in Cable Hung Attachment Method.

Photometrics



Specs Chart

SoundBar® Up or Down				
Color Temperature	3000K , 3500K , 4000K			
CRI	95+			
Dimming Options	TRIAC/Phase, ELV, MLV, 0-10V, 1-10V When Paired with Arktura LED Driver			
SoundBar® Up				
	ECO		STANDARD	
Length (ft)	Wattage	Lumens	Wattage	Lumens
2	8	391	16	782
3	15	717	30	1434
4	20	978	41	1956
5	26	1239	52	2477
6	33	1565	65	3129
7	38	1825	76	3651
8*	43	2086	-	-
SoundBar® Down				
	ECO		STANDARD	
Length (ft)	Wattage	Lumens	Wattage	Lumens
2	12	587	24	1173
3	18	847	35	1695
4	23	1108	46	2217
5	29	1369	57	2738
6	35	1695	71	3390
7	41	1956	81	3912
8*	46	2217	-	-

* 8ft Standard Not Available