



A R K T U R A


Vapor[®] Solid



Ceiling & Wall **Panels**

Our Key Features

Bring forth stunning textural vision with the endless possibilities of Vapor® Solid. These 2'x4' Torsion spring ceiling, and Vertika® Wall panels flow continuously throughout, transitioning from wall to ceiling, allowing you to cover any space thanks to easy installation and accessibility. These solid panels come in a wide array of powder-coated finishes with multiple color and metallic options to mix and match with other Vapor® patterns, or create a Mondrian style installation with color blocking. Optional inline lighting accessories are available to further customize your projects intent.




Easy Installation & Access

Vapor® panels offer easy install, using quick torsion spring attachment across standard ceiling grid systems or simple wall attachment using our Vertika® channel system.



Superior Flatness & Strength

Vapor® panels are manufactured from aluminum that is on average 50% thicker than the competition, which in combination with our precision processes result in unrivaled flatness.



Integrated InLine Option

Arktura's Solid Panels makes it easy to seamlessly add illumination through linear integrated InLine lighting.


Inspiration



Seamless and Dynamic Wall to Ceiling Transitions



Easy Install with Access to Vital Building Infrastructure



Seamlessly Scalable to Fit Any Size Project


Overview

- 1 Understanding the System
- 2 Optional Accessories
- 3 Available Finishes
- 4 Product Specifications

1 Understanding the System


Standard Panel

Vapor® is a modular accessible aluminum panel system designed to work with torsion grid. Customization is available.



Seamlessly Join Walls & Ceilings

Vapor® easily transitions from one plane to another and around corners.



1 Understanding the System


Understanding the Panel

The pattern surface is created by seamlessly tiling across your space.

Panel A: 0% Open



* Vertika® Trim

Ceiling Section



Panel Configuration, Wall or Ceiling

Wall Section



ⓘ All dimensions are in mm unless otherwise specified.

⚠ All dimensions nominal.


1 Understanding the System

Accessory Options - Ceiling

- InLine downlight


* A Specific Inline light panel is used to accommodate the width of the fixture within the 2' width.

600mm width.




Torsion Spring Adapter Clip

Interested in using standard t-grid? Use our optional Torsion Spring Adapter Clip.



Attachment System - Ceiling

Torsion Spring clips allow for rapid install and easy access for maintenance above the grid post install.




1 Understanding the System

Accessory Options - Wall

- InLine light


* A Specific InLine light panel is used to accommodate the width of the fixture within the 2' width.

the 600mm width.



Attachment System - Wall

Panels are easily installed or removed by sliding onto or lifting off from the system's Vertika® channel hooks.





3

Available Finishes




Aluminum Panel

Powder Coat

Standard Finish

T-Grid White*
(Matte)Arktura White
(Matte)Brilliant White
(Gloss)Silver Metallic
(Semi Gloss)Jet Black
(Matte)**Powder Coat**

Premium Finish

Aviator Gray
(Gloss)Aviator Gray
(Matte)

Steel Gray



Shadow



Midnight



Coffee




Raw Umber



Caramel



Sandstone



Oat



Sunflower



Torch

Spirit Red
(Matte)

Azure



Blue Steel





Forest Green

Powder Coat

Premium Metallic Finish

Chilled Champagne
(Semi Gloss)Burnished Bronze
(Semi Gloss)**Custom Powder Colors**

We offer premium non-stock RAL and custom color match options as well. Contact your sales rep for more information.

Non-stock
RALNon-stock
Metallic

* This color was designed to pair with Armstrong color "WH" grid and trim.

4 Product Specifications & Certifications

System Specs


Panel Size (WxHxD)	600 X 1200 X 38
Material	Aluminum
Openness in Plan	0%
Fire Rating	ASTM E84 - Class A 13501-1 B-s1, d0
Ceiling Attachment	Torsion Grid (By Others)
Wall Attachment	Vertika® Wall (Refer to Vertika® Brochure)
Accessibility	Torsion Spring Hinge
Trimmability	Yes, per installation manual
Optional Accessories	InLine Light

Lighting Specs


Arktura InLine Lighting

Makes it easy to seamlessly integrate linear lighting into the design of your paneling.


Ceiling



Vertika® Wall






Side - Length Options



Specs

Product Features	Arktura InLine Eco	Arktura InLine
Total Lumens	640 Lm/Ft	1280 Lm/Ft
Delivered Lumens	480 Lm/Ft	960 Lm/Ft
Power Consumption	6W/Ft	12W/Ft
CRI	95+	
Color Temperatures	3000k, 3500k, 4000k (Other temperatures on request)	
Size (LxWxD)	600 X 50 X 32 X 2438 X 50 X 32	
UL Rating	Recognized	
Voltage	24 Volts	
Dimming Options	MLV, 1-10V, 0-10V	
Plenum Rated Wire	Standard	

Elevations




Photometric

Located At Horizontal Angle = 0, Vertical Angle = 0

#1 - Vertical Plane Through Horizontal Angles (0 - 180) (Through Max. Cd.)

#2 - Horizontal Cone Through Vertical Angle (0) (Through Max. Cd.)




Product Line

Design Options

Vapor® offers a growing library of metal panels in preconfigured seamlessly tileable patterns that can also be mixed and matched as desired. For additional acoustic performance, take a look at our Soft Sound® faced VaporSoft®.



VAPOR® TRAIL




VAPOR® PIXEL



VAPOR® CUMULA




VAPOR® BYTE




VAPOR® CLUSTER




VAPOR® SYNTAX



VAPOR® SHIFT



VAPOR® CORA



VAPOR® FREQUENCY




VAPOR® LIANA

Product Line

Design Options



VAPOR® SKY



VAPOR® GRADIENT




VAPOR® ELEMENT




VAPOR® BLOOM




VAPOR® BREEZE



VAPOR® SOLID



VAPOR® TRANSIT



VAPOR® VERVE



VAPOR® BOND