



A R K T U R A


Vapor[®] Solid



Ceiling & Wall **Panels**

Our Key Features

Bring forth stunning textural vision with the endless possibilities of Vapor® Solid. These 2'x4' Torsion spring ceiling, and Vertika® Wall panels flow continuously throughout, transitioning from wall to ceiling, allowing you to cover any space thanks to easy installation and accessibility. These solid panels come in a wide array of powder-coated finishes with multiple color and metallic options to mix and match with other Vapor® patterns, or create a Mondrian style installation with color blocking. Optional inline lighting accessories are available to further customize your projects intent.



Integrated InLine Option

Arkтура's Solid Panels makes it easy to seamlessly add illumination through linear integrated InLine lighting.




Scan the QR or Click to
Learn More about Vapor®



Superior Flatness & Strength

Vapor® panels are manufactured from aluminum that is on average 50% thicker than the competition, which in combination with our precision processes result in unrivaled flatness.



Easy Installation & Access

Vapor® panels offer easy install, using quick torsion spring attachment across standard ceiling grid systems or simple wall attachment using our Vertika® channel system.


Inspiration



Seamless and Dynamic Wall to Ceiling Transitions



Easy Install with Access to Vital Building Infrastructure



Seamlessly Scalable to Fit Any Size Project

Overview

1 Understanding the System

2 Optional Accessories


3 Available Finishes

4 Product Specifications

1 Understanding the System


Standard Panel

Vapor® is a modular accessible aluminum panel system designed to work with torsion grid. Customization is available.



Seamlessly Join Walls & Ceilings

Vapor® easily transitions from one plane to another and around corners.



1 Understanding the System


Understanding the Panel

The pattern surface is created by seamlessly tiling across your space.

Panel A: 0% Open



* Vertika® Trim

Ceiling Section



Panel Configuration, Wall or Ceiling

Wall Section




⚠ All dimensions nominal.

1 Understanding the System

Accessory Options - Ceiling


- InLine downlight

* A Specific Inline light panel is used to accommodate the width of the fixture within the 2' width.




Torsion Spring Adapter Clip

Interested in using standard t-grid?
Use our optional Torsion Spring Adapter Clip.



Attachment System - Ceiling

Torsion Spring clips allow for rapid install and easy access for maintenance above the grid post install.




1 Understanding the System

Accessory Options - Wall


- InLine light

* A Specific InLine light panel is used to accommodate the width of the fixture within the 2' width.



Attachment System - Wall






Panels are easily installed or removed by sliding onto or lifting off from the system's Vertika® channel hooks.









3 Available Finishes

Panel Color

Powder Coat
Standard Finish
Inspired by our
Vivids Collection

 Seaweed ●	 Oasis	 Mint ●●	 Tropica ●●	 Moonwalk
 Berry	 Ruby ●	 Papaya ●	 Lemonade ●●	 Pismo ●

Powder Coat
Standard Finish
Inspired by our
Elementals Collection

 Garnet ●	 Seaside ●	 Haze	 Seaglass ●	 Harvest
 Earthen ●●	 Cacao ●●	 Terra ●●	 Evergreen ●	 Basalt ●●

Available in:

- **AAMA 2604** Color
- **AAMA 2604** or **2605** Color

*Non stock, fee **upcharge**

3



Available Finishes

Panel Color

Powder Coat
Standard Finish
Inspired by our
Essentials Collection

					
T-Grid White* (Matte)	Arktura White (Matte)	Brilliant White (Gloss)	Silver Metallic (Semi Gloss)	Jet Black (Matte)	
					
Aviator Gray (Gloss)	Aviator Gray (Matte)	Steel Gray	Shadow	Midnight	Coffee
					
Raw Umber	Caramel	Sandstone	Oat	Sunflower	Torch
					
Spirit Red (Matte)	Azure	Blue Steel	Forest Green		

Powder Coat
Premium Metallic
Finish

	
Chilled Champagne (Semi Gloss)	Burnished Bronze (Semi Gloss)

Custom Powder Colors
We offer premium non-stock RAL and custom color match options as well. Contact your sales rep for more information.

	
Non-stock RAL	Non-stock Metallic

* This color was designed to pair with Armstrong color "WH" grid and trim.


ⓘ All premium and standard finishes shown are designed for interior specifications. Products may be specified for exterior use, and with alt treatments required by local code or facility, including custom color match or specialty finishes. Any changes to specification from interior standard or interior premium will result in a custom powder coat fee.

3

Available Finishes

Panel Color - Pure+FreeForm & Powder Coat

Metallic Patinas*
Premium



Hollywood

Parisian Rust

Hampton Brass

Vintage Nickel

Metal Powder Coat Color



Slate

Oxide

Goldenrod

Pewter

Metallic Wood Texture*
Premium



Roma Noce

Rustic Timber

Autumn Cherry

Pearl White Oak

Miele Maple

Metal Powder Coat Color



Mocha

Terracota

Gingerbread

Flax

Flax

* Pure + FreeForm trims are only available for Wall application. If the installation has a transition between wall and ceiling, Powder Coating must be used.

ⓘ All premium and standard finishes shown are designed for interior specifications. Products may be specified for exterior use, and with alt treatments required by local code or facility, including custom color match or specialty finishes. Any changes to specification from interior standard or interior premium will result in a custom powder coat fee.

3

Available Finishes

Optional Translucent Backer

Polycarbonate
Available in interior and UV
stable exterior options.



Frosted

Optional Soft Sound® Backer

Soft Sound®
Vivids
Standard



Nori




Tidal



Seafoam



Bamboo



Cosmos




Plum




Azalea



Sorbet



Buttercream




Blush

Soft Sound®
Elementals
Standard




Ube



Baltic



Caspian




Cortez



Honey




Sienna



Truffle



Morel



Cypress



Pebble


ⓘ Due to the nature of non-woven materials, light may pass through Soft Sound® in any thickness or color. A translucent appearance is most apparent in lighter colors and thin material when a light source is present behind the material. Arktura makes no claims or warranties about the material performing as opaque in any circumstance. To verify a products performance for light transmittance, a mockup of the specific intended use is recommended.

3

Available Finishes


Optional Soft Sound® Backer

Soft Sound®
Essentials
Standard



Soft Sound®
Wood Texture
Premium

As with natural wood, variation in color and grain is expected and grain will not align across panels.



Due to the nature of non-woven materials, light may pass through Soft Sound® in any thickness or color. A translucent appearance is most apparent in lighter colors and thin material when a light source is present behind the material. Arktura makes no claims or warranties about the material performing as opaque in any circumstance. To verify a products performance for light transmittance, a mockup of the specific intended use is recommended.

4

Product Specifications & Certifications

System Specs


Panel Size (WxHxD)	2' x 4' x 1½"
Material	Aluminum
Openness in Plan	0%
Fire Rating	ASTM E84 - Class A
Ceiling Attachment	Torsion Grid (By Others)
Wall Attachment	Vertika® Wall (Refer to Vertika® Brochure)
Accessibility	Torsion Spring Hinge
Trimmability	Yes, per installation manual
Optional Accessories	InLine Light

This product may be the subject of one or more patents or pending patent applications.
See www.arktura.com/intellectual-property for related patent information.


Arktura InLine Lighting Specs

Makes it easy to seamlessly integrate linear lighting into the design of your paneling.


Ceiling



Vertika® Wall




Elevations - Ceiling



*7301TS Prelude XL 12' HD Main Beam slotted for torsion spring.


Top View - Wall



Arktura InLine System


Description		W/ft	Fixture Watts	lm/ft	Fixture Lumens	LM/W*
4 Foot	Arktura InLine 3.5 W/ft - 4'	3.5	14	349	1396	102
	Arktura InLine 5W/ft - 4'	5	20	525	2100	114
	Arktura InLine 7W/ft - 4'	7	28	614	2457	98
	Arktura InLine 10W/ft - 4'	10	40	1021	4084	110
8 Foot	Arktura InLine 3.5W/ft - 8'	3.5	28	349	2792	102
	Arktura InLine 5W/ft - 8'	5	40	525	4200	114
	Arktura InLine 7W/ft - 8'	7	56	614	4914	98
	Arktura InLine 10W/ft - 8'	10	80	1021	8168	110

Side - Length Options



Photometric

Located At Horizontal Angle = 0, Vertical Angle = 0
#1 - Vertical Plane Through Horizontal Angles (0 - 180) (Through Max. Cd.)
#2 - Horizontal Cone Through Vertical Angle (0) (Through Max. Cd.)



Universal Specs

CRI	90+
Color Temperatures	3000K, 3500K, 4000K**
Operating Temperatures	-20C - +50°C (-4F - +122°F)
Dimming Options	TRIAC/Phase, ELV, MLV, 0-10V, When Paired with Arktura LED Driver
Emergency	50W Emergency Battery Kit AK-EB0001 ***
Cable	Factory Installed Plenum Rated CL3P Cable, 18AWG 4FT Cable
Enviroment	Indoor Locations Only
Markings	ETL Listed, Complies with UL 1598 & CSA C22.2#250.0:2021 Ed.5
Lifetime	L70 - 50,000 hours
Warranty	5 Years, Limited

* Efficiency at 3500K 90CRI
** Consult factory for custom color temperatures.
*** Emergency battery kit sold separately.

Illustrative images.
Patterns may not match the product.