



ARKTURA

SoftGrid® Scale



Ceiling **Baffles**



Fueling Possibilities®


Our Key Features

Scale's acoustic ceiling modules create a zig-zag pattern that creates a wave due to it's sloped width. Scale's baffles connect together seamlessly and provide targeted acoustic support due to the Soft Sound® material. The baffles can either create a continuous, uninterrupted field or be trimmed to smaller squares, depending on your design's needs.




Reduce Noise & Enhance Acoustics

SoftGrid®'s Soft Sound® material reduces the impact of noise from everyday annoyances like ringing, typing, and chatter resulting in a more pleasant and productive environment. SoftGrid®'s material works in concert with the design to help reduce and control reverberations leaving a lasting impression at scales ranging from assembly halls to conference rooms.




Expansive Soft Sound® Library

Choose from a large library of Soft Sound® colors and wood textures. Mix and match colors to accent fins and complement the color scheme of your space.




Open Accessibility in Plan

SoftGrid®'s open grid design makes integrating systems above or below the modules simple and feasible. Easily removable fins and open structure makes accessing lights, HVAC, rigging points, plumbing, AV equipment, and life safety systems easy for your maintenance team.




Continuous Baffles

Utilizing a hidden fin to fin alignment system SoftGrid® provides continuity in all directions across your space. In addition our optional hanging points offer a fine tuning capability for installers. Our custom formulated material thickness and density ensures rigidity that limits deflection.



Preconfigured Field Trimmable Solutions

SoftGrid® modules can be trimmed down to a minimum of four fin intersections. By rearranging our adjustable hangers; we make it easy for you to specify standard modules that can be easily field-modified around anticipated and unforeseen site conditions during install.



Duo Capability


Add new dimensions of style, mix colors and textures in an expanding range of dynamic combinations to fully achieve your design intent. Perfect for incorporating branding or a dynamic two-tone impression.

* This option is not available on SoftGrid® Slope or SoftGrid® Max variants.




Scan the QR or Click to Learn More about SoftGrid®

Inspiration



Mix Soft Sound® Finishes to Create Unique 3-Dimensional Duo Tone Effects



Create Interesting Lighting Effects



Add Texture While Reducing Noise

Overview

1 Understanding the System


2 Available Finishes

3 Product Specifications

1 Understanding the System


Standard Module

Modules are made from Arktura's lightweight & durable Soft Sound® acoustical material with stainless steel brackets.



Multiple Modules

Modules can be continuously tiled in multiple directions in plan, using the provided connecting brackets.




① Understanding the System

Understanding the Module - Scale

Plan


93% Open in Plan

- Required Hang Point Location
- Optional Hang Point Location



Elevations

Fin depth varies from 4 7/8" to 6 7/8" deep.




① Understanding the System

Understanding the Module - Scale Max

Plan


93% Open in Plan

● Required Hang Point Location



Elevations


Fin depth varies from 4 7/8" to 6 7/8" deep.




① Understanding the System

Attachment Details


To minimize the visual impact of our hanging system, we provide 1/32" stainless cables and a micro quick-release wire clamp with hanging brackets at 4 locations.




Module Configuration



Hanging Bracket Attachment



Module Joining Bracket



2


Available Finishes

Baffle Color


Soft Sound®

Vivids


Standard




Nori




Tidal




Seafoam




Bamboo




Cosmos




Plum




Azalea



Sorbet



Buttercream



Blush

Soft Sound®

Elementals


Standard



Ube




Baltic




Caspian




Cortez




Honey




Sienna



Truffle



Morel



Cypress




Pebble

Soft Sound® Wood Texture

Premium

ⓘ As with natural wood, variation in color and grain is expected and grain will not align across panels.

Face



Gray Ash



White Oak



Golden Oak



Oak



American Walnut

Core /
Edge

Gray Ash



White Oak



Golden Oak



Oak



American Walnut


Face



Charred Oak



Charred Ash



Ebony

Core /
Edge

Charred Oak



Charred Ash



Ebony

ⓘ Due to the nature of non-woven materials, light may pass through Soft Sound® in any thickness or color. A translucent appearance is most apparent in lighter colors and thin material when a light source is present behind the material. Arktura makes no claims or warranties about the material performing as opaque in any circumstance. To verify a product's performance for light transmittance, a mockup of the specific intended use is recommended.

② Available Finishes

Baffle Color


**Soft Sound®
Essentials**
Standard



Duo Tone

Optional

Select a primary and
secondary color to
switch up each module.



⚠ Due to the nature of non-woven materials, light may pass through Soft Sound® in any thickness or color. A translucent appearance is most apparent in lighter colors and thin material when a light source is present behind the material. Arktura makes no claims or warranties about the material performing as opaque in any circumstance. To verify a product's performance for light transmittance, a mockup of the specific intended use is recommended.

3

Product Specifications & Certifications


System Specs

Dimensions (WxLxD)	Scale: 7'-6" x 7'-6" x (Min. 4 7/8" Max. 6 3/4") Scale Max: 9' x 9' x (Min. 4 7/8" Max. 6 3/4")
Material	12mm Soft Sound® (PET), Stainless Steel
Openness in Plan	93%
Fire Rating	ASTM E84 - Class A
Acoustics	True NRC® (F-100 Method) Scale: 0.55 ; Scale Max: 0.50 True NRC® (Mount Type A) Scale: 0.60
Attachment Method	1/32" Stainless Cable and Hardware
Accessibility	Yes, quick release cables
Trimmability	Yes, per installation manual

Product Line

Design Options


Select the style that best suits your vision and project needs. Pick from a variety of designs, all made from our Soft Sound® acoustical material, to provide high performance sound attenuation while enhancing aesthetics.



SOFTGRID® DECA




SOFTGRID® DOME




SOFTGRID® FLUX



SOFTGRID® FORGE




SOFTGRID® NEXUS



SOFTGRID® ORBIT



SOFTGRID® ROUND



SOFTGRID® ROSETTE



SOFTGRID® SINE



SOFTGRID® SCALE

Product Line

Design Options

Select the style that best suits your vision and project needs. Pick from a variety of designs, all made from our Soft Sound® acoustical material, to provide high performance sound attenuation while enhancing aesthetics.



SOFTGRID® SKYLINE



SOFTGRID® SQUARE




SOFTGRID® SWITCH



SOFTGRID® TEMPO



SOFTGRID® TILT



SOFTGRID® TRELLA



SOFTGRID® WAVE