



ARKTURA



cardinale

SoftShapes® Quad




Acoustic **Clouds**



Fueling Possibilities®


Our Key Features

SoftShapes® Quad brings acoustic comfort to your space, whether suspended from the ceiling or mounted directly to your walls. The configurations of these Soft Sound® modular systems can be tailored to your specific project needs with adjustable drop location points on select models. Install in tandem with similar size SoftShapes® modules to create unique layouts as creative as your imagination.



Reduce Noise & Enhance Acoustics

SoftShapes® Soft Sound® material reduces the impact of noise from everyday sonic discomforts such as outside noise, typing, and chatter, resulting in a more pleasant and productive environment. In addition, its material works in concert with the design to help reduce and control reverberations leaving a lasting impression at scales ranging from assembly halls to conference rooms.




Adjustable & Flexible Attachments

Accommodate various plenum and site conditions thanks to adjustable drop locations and 5 available attachment methods, allowing installation ceilings or walls.




Scan the QR or Click to Learn More about SoftShapes®

Our Key Features




Profiles to Suit Your Needs

SoftShapes® offers a wide range of available sizes that can be configured to best suit your needs. For example, align multiple shapes adjacent to each other or stack modules of varying sizes.



Expansive Soft Sound® Library

Choose from an extensive library of Soft Sound® colors and premium wood textures. Soft Sound® material provides impressive looks and top-quality sound attenuation.



Configure SoftShapes® in Creative Ways

SoftShapes® is available in various shapes, widths, and depth options, giving you complete design flexibility in any space. In addition, it can be mixed with other SoftShapes® modules to create new and exciting geometric systems for wall and ceiling installations.

Inspiration



A versatile system that offers sonic wellness from wall to ceiling



Create cozy spaces thanks to adjustable drop locations



Pair with different size modules to create unique layouts

Overview

1 Understanding the System



2 Available Finishes

3 Product Specifications



1 Understand the System

Standard Configurations

SoftShapes® offered in a single finish are available in 45 different size configurations and 4 assembly types.*



3 Assembly Types: All Ships Flat Packed
(Corners included in Module Assembly)




1 Assembly Type : Ships Pre-Assembled + Flat Packed
(Pre-Assembled Corner + Flat Packed Beams)


Multiple Modules

SoftShapes® may be installed in tandem with multiple modules to create new layouts, both in ceiling and wall applications.

Ceiling



Wall




* Refer to the Installation Manual for more info.


① Understanding the System

Dimensions

Depths




Widths




Lengths (O.C.)


Quad 24




Quad 36




Quad 48




Quad 60




Quad 72




Quad 84




Quad 96



Quad 108



Quad 120



Product	Width	Height
Quad 24	3"	4"
Quad 36	3"	6"
Quad 48	3"	8"
Quad 60	3"	10"
Quad 72	3"	12"
Quad 84	4"	6"
Quad 96	4"	8"
Quad 108	4"	10"
Quad 120	4"	12"

1 Understanding the System

Dimensions

Name	Width	Height	Length 1	Length 2
Quad 24 - 3x4x21	3"	4"	1'-8 ¹⁵ / ₁₆ "	1'-8 ¹⁵ / ₁₆ "
Quad 24 - 3x6x21	3"	6"	1'-8 ¹⁵ / ₁₆ "	1'-8 ¹⁵ / ₁₆ "
Quad 24 - 3x10x21	3"	10"	1'-8 ¹⁵ / ₁₆ "	1'-8 ¹⁵ / ₁₆ "
Quad 24 - 4x6x22	4"	6"	1'-9 ¹⁵ / ₁₆ "	1'-9 ¹⁵ / ₁₆ "
Quad 24 - 4x10x22	4"	10"	1'-9 ¹⁵ / ₁₆ "	1'-9 ¹⁵ / ₁₆ "
Quad 36 - 3x4x33	3"	4"	2'-8 ¹⁵ / ₁₆ "	2'-8 ¹⁵ / ₁₆ "
Quad 36 - 3x6x33	3"	6"	2'-8 ¹⁵ / ₁₆ "	2'-8 ¹⁵ / ₁₆ "
Quad 36 - 3x10x33	3"	10"	2'-8 ¹⁵ / ₁₆ "	2'-8 ¹⁵ / ₁₆ "
Quad 36 - 4x6x34	4"	6"	2'-9 ¹⁵ / ₁₆ "	2'-9 ¹⁵ / ₁₆ "
Quad 36 - 4x10x34	4"	10"	2'-9 ¹⁵ / ₁₆ "	2'-9 ¹⁵ / ₁₆ "
Quad 48 - 3x4x45	3"	4"	3'-8 ¹⁵ / ₁₆ "	3'-8 ¹⁵ / ₁₆ "
Quad 48 - 3x6x45	3"	6"	3'-8 ¹⁵ / ₁₆ "	3'-8 ¹⁵ / ₁₆ "
Quad 48 - 3x10x45	3"	10"	3'-8 ¹⁵ / ₁₆ "	3'-8 ¹⁵ / ₁₆ "
Quad 48 - 4x6x46	4"	6"	3'-9 ¹⁵ / ₁₆ "	3'-9 ¹⁵ / ₁₆ "
Quad 48 - 4x10x46	4"	10"	3'-9 ¹⁵ / ₁₆ "	3'-9 ¹⁵ / ₁₆ "
Quad 60 - 3x4x57	3"	4"	4'-8 ¹⁵ / ₁₆ "	4'-8 ¹⁵ / ₁₆ "
Quad 60 - 3x6x57	3"	6"	4'-8 ¹⁵ / ₁₆ "	4'-8 ¹⁵ / ₁₆ "
Quad 60 - 3x10x57	3"	10"	4'-8 ¹⁵ / ₁₆ "	4'-8 ¹⁵ / ₁₆ "
Quad 60 - 4x6x58	4"	6"	4'-9 ⁷ / ₈ "	4'-9 ⁷ / ₈ "
Quad 60 - 4x10x58	4"	10"	4'-9 ⁷ / ₈ "	4'-9 ⁷ / ₈ "
Quad 72 - 3x4x69	3"	4"	5'-8 ¹⁵ / ₁₆ "	5'-8 ¹⁵ / ₁₆ "
Quad 72 - 3x6x69	3"	6"	5'-8 ¹⁵ / ₁₆ "	5'-8 ¹⁵ / ₁₆ "
Quad 72 - 3x10x69	3"	10"	5'-8 ¹⁵ / ₁₆ "	5'-8 ¹⁵ / ₁₆ "
Quad 72 - 4x6x70	4"	6"	5'-9 ⁷ / ₈ "	5'-9 ⁷ / ₈ "
Quad 72 - 4x10x70	4"	10"	5'-9 ⁷ / ₈ "	5'-9 ⁷ / ₈ "

Name	Width	Height	Length 1	Length 2
Quad 84 - 3x4x81	3"	4"	6'-8 ¹⁵ / ₁₆ "	6'-8 ¹⁵ / ₁₆ "
Quad 84 - 3x6x81	3"	6"	6'-8 ¹⁵ / ₁₆ "	6'-8 ¹⁵ / ₁₆ "
Quad 84 - 3x10x81	3"	10"	6'-8 ¹⁵ / ₁₆ "	6'-8 ¹⁵ / ₁₆ "
Quad 84 - 4x6x82	4"	6"	6'-9 ⁷ / ₈ "	6'-9 ⁷ / ₈ "
Quad 84 - 4x10x82	4"	10"	6'-9 ⁷ / ₈ "	6'-9 ⁷ / ₈ "
Quad 96 - 3x4x93	3"	4"	7'-8 ¹⁵ / ₁₆ "	7'-8 ¹⁵ / ₁₆ "
Quad 96 - 3x6x93	3"	6"	7'-8 ¹⁵ / ₁₆ "	7'-8 ¹⁵ / ₁₆ "
Quad 96 - 3x10x93	3"	10"	7'-8 ¹⁵ / ₁₆ "	7'-8 ¹⁵ / ₁₆ "
Quad 96 - 4x6x94	4"	6"	7'-9 ⁷ / ₈ "	7'-9 ⁷ / ₈ "
Quad 96 - 4x10x94	4"	10"	7'-9 ⁷ / ₈ "	7'-9 ⁷ / ₈ "
Quad 108 - 3x4x105	3"	4"	8'-8 ¹⁵ / ₁₆ "	8'-8 ¹⁵ / ₁₆ "
Quad 108 - 3x6x105	3"	6"	8'-8 ¹⁵ / ₁₆ "	8'-8 ¹⁵ / ₁₆ "
Quad 108 - 3x10x105	3"	10"	8'-8 ¹⁵ / ₁₆ "	8'-8 ¹⁵ / ₁₆ "
Quad 108 - 4x6x106	4"	6"	8'-9 ⁷ / ₈ "	8'-9 ⁷ / ₈ "
Quad 108 - 4x10x106	4"	10"	8'-9 ⁷ / ₈ "	8'-9 ⁷ / ₈ "
Quad 120 - 3x4x117	3"	4"	9'-8 ¹⁵ / ₁₆ "	9'-8 ¹⁵ / ₁₆ "
Quad 120 - 3x6x117	3"	6"	9'-8 ¹⁵ / ₁₆ "	9'-8 ¹⁵ / ₁₆ "
Quad 120 - 3x10x117	3"	10"	9'-8 ¹⁵ / ₁₆ "	9'-8 ¹⁵ / ₁₆ "
Quad 120 - 4x6x118	4"	6"	9'-9 ⁷ / ₈ "	9'-9 ⁷ / ₈ "
Quad 120 - 4x10x118	4"	10"	9'-9 ⁷ / ₈ "	9'-9 ⁷ / ₈ "


Legend - Dimensions in inches

Quad 24 - 3 x 4 x 22



Length 2 (L2)














--- Boundary



Info: Please Note: Approximately 3" from the C to the outside Boundary Face of the product, regardless of the width. Refer to the installation manual for more info.





















1 Understanding the System

Dimensions

				
Quad 24 - 3x4x21	Quad 36 - 3x4x33	Quad 48 - 3x4x45	Quad 60 - 3x4x57	Quad 72 - 3x4x69
				
Quad 24 - 3x6x21	Quad 36 - 3x6x33	Quad 48 - 3x6x45	Quad 60 - 3x6x57	Quad 72 - 3x6x69
				
Quad 24 - 3x10x21	Quad 36 - 3x10x33	Quad 48 - 3x10x45	Quad 60 - 3x10x57	Quad 72 - 3x10x69
				
Quad 24 - 4x6x22	Quad 36 - 4x6x34	Quad 48 - 4x6x46	Quad 60 - 4x6x58	Quad 72 - 4x6x70
				
Quad 24 - 4x10x22	Quad 36 - 4x10x34	Quad 48 - 4x10x46	Quad 60 - 4x10x58	Quad 72 - 4x10x70

1 Understanding the System

Dimensions


			
Quad 84 - 3x4x81	Quad 96 - 3x4x93	Quad 108 - 3x4x105	Quad 120 - 3x4x117
			
Quad 84 - 3x6x81	Quad 96 - 3x6x93	Quad 108 - 3x6x105	Quad 120 - 3x6x117
			
Quad 84 - 3x10x81	Quad 96 - 3x10x93	Quad 108 - 3x10x105	Quad 120 - 3x10x117
			
Quad 84 - 4x6x82	Quad 96 - 4x6x94	Quad 108 - 4x6x106	Quad 120 - 4x6x118
			
Quad 84 - 4x10x82	Quad 96 - 4x10x94	Quad 108 - 4x10x106	Quad 120 - 4x10x118

① Understanding the System


Attachment Details

SoftShapes® modules feature adjustable drop locations on each side of the system, allowing it to adapt to various installation conditions.

① Recommended Drop Points




Modules smaller than 54" need 4 drop points.
(SoftShapes® Quad 32 shown)




Modules bigger than 54" need 8 drop points.
(SoftShapes® Quad 90 shown)

Adjustable Drop Locations




Check install manual for more info.

Hanging Bracket Attachment





Joiner Bracket



① Understanding the System

Combining With Other SoftShapes®

Install SoftShapes® in tandem with similar sized SoftShapes® systems to create one-of-a-kind combined geometric layouts.





1 Understanding the System



Multiple Attachment Options

In addition to adjustable drop locations, SoftShapes® also offers the flexibility of five different attachment options, including Direct Mount for both Wall and Ceiling applications.



Cable Hung





All Thread



Strut Mount





Grid Mount



Direct Mount

Available in both wall & ceiling attachment.




2 Available Finishes

Baffle Color


Soft Sound®

Vivids

Standard



Nori




Tidal




Seafoam




Bamboo




Cosmos




Plum




Azalea



Sorbet



Buttercream



Blush

Soft Sound®

Elementals


Standard



Ube




Baltic



Caspian




Cortez




Honey



Sienna



Truffle



Morel



Cypress




Pebble

Soft Sound® Wood Texture

Premium

ⓘ As with natural wood, variation in color and grain is expected and grain will not align across panels.

Face



Gray Ash



White Oak



Golden Oak



Oak



American Walnut

Core /
Edge



Gray Ash



White Oak



Golden Oak



Oak



American Walnut


Face



Charred Oak



Charred Ash



Ebony

Core /
Edge



Charred Oak



Charred Ash



Ebony

ⓘ Due to the nature of non-woven materials, light may pass through Soft Sound® in any thickness or color. A translucent appearance is most apparent in lighter colors and thin material when a light source is present behind the material. Arktura makes no claims or warranties about the material performing as opaque in any circumstance. To verify a product's performance for light transmittance, a mockup of the specific intended use is recommended.


② Available Finishes

Baffle Color

**Soft Sound®
Essentials**
Standard



⚠ Modules may be comprised of Multiple Segments. Seams may be subtle in appearance due to the natural variation in wood texture.



Seaming Detail

⚠ Due to the nature of non-woven materials, light may pass through Soft Sound® in any thickness or color. A translucent appearance is most apparent in lighter colors and thin material when a light source is present behind the material. Arktura makes no claims or warranties about the material performing as opaque in any circumstance.

3 Product Specifications & Certifications

System Specs

Dimensions	Widths	Heights	Lengths
	3"	4", 6" & 10"	18", 30", 42", 54", 66", 78", 90", 102", 114"
	4"	6" & 10"	18", 30", 42", 54", 66", 78", 90", 102", 114"
Material	12mm Soft Sound® (PET)		
Fire Rating	ASTM E84 - Class A		
Attachment Method	Cable Hung, All Thread, Strout Mount, Grid Mount, Direct Mount		
Accessibility	Yes, quick release cables*		

* Various accessibility options available by Attachment Method. Please refer to installation manual for specifics and contact a Rep.

This product may be the subject of one or more patents or pending patent applications.
See www.arktura.com/intellectualproperty for related patent information.