

ARKTURA

SoundEdge®

Ceiling **Baffles**

Fueling Possibilities®

Our Key Features

SoundEdge® ceiling system offers flexible building blocks to easily achieve enhanced acoustical performance and design effects. Its modular single fin design, available in a multitude of lengths and depths, is easy to install, and can be mixed and matched in numerous configurations. SoundEdge® is constructed from our Soft Sound® acoustical material (100% PET plastic with up to 60% recycled content) to drastically reduce sound reverberation. Elements can ship flat-packed, and are available in a variety of colors and finishes, including wood-grain textures. See our Soft Sound® brochure for more information.

Reduce Noise and Enhance Acoustics

SoundEdge®'s Soft Sound® material reduces the impact of noise from everyday annoyances like ringing, typing, and chatter resulting in a more pleasant and productive environment. Its material works in concert with the design to help reduce and control reverberations leaving a lasting impression at scales ranging from assembly halls to conference rooms.



Arktura Others

Minimal Hanging Hardware

SoundEdge® provides structure and support with a narrow metal bracket and thin suspension cable that is virtually invisible when viewed from below.

Scan the QR or Click to Learn More about SoundEdge®

Our Key Features



Open Plan Accessibility

SoundEdge®'s open design makes integrating systems above or below the modules simple and feasible. Easily removable fins allow access to larger systems and the open structure makes accessing lights, HVAC, rigging points, plumbing, AV equipment, and life safety systems easy for your maintenance team.



Expansive Soft Sound® Library

Choose from a large library of Soft Sound® colors and wood textures. Mix and match colors to to accent fins and complement the color scheme of your space.



Profiles to Suit Your Needs

SoundEdge® is available in a range of lengths, heights, and configurable options, giving you complete design flexibility.

Inspiration

Integrate Acoustic Control with SoundEdge®'s Soft Sound® Material



Mix and Match SoundEdge® Lengths and Colors

Easily Integrate Lighting

Overview

1 Understanding the System

2 Available Finishes

3 Product Specifications

1 Understand the System

Standard Configurations

SoundEdge® is made from our Soft Sound® acoustical material.



Multiple modules

Combine SoundEdge® modules of various colors and sizes as needed to achieve the right look and functionality for your space.



1 Understanding the System

Dimensions

SoundEdge® is available in one foot increments of 2-9' in length.

| Minimum Hang Points.

¦ Available Hang Points.

Lengths



Height



All dimensions nominal.

1 Understanding the System

Attachment Details

SoundEdge® is suspended with 1⁄32" stainless cable.



Alignment Pin



Module Joining Bracket*



Bottom Wire Loop Gripper



* Brackets are only for Cable Hang.

1 Understanding the System

Multiple Attachment Options

SoundEdge® linear baffles can be installed in a multitude of methods depending on the install type. Cable Hung and All Thread suspend the baffles from above. Strut and Grid Mount allow them to attach to T-Grids and structural foundations. Direct Mount provides a close install.

Cable Mount





All Thread





Strut Mount





Grid Mount





Hanging Bracket





2 Available Finishes

Baffle Color

Soft Sound®
Vivids
Standard



Soft Sound®
Elementals
Standard

Due to the nature of non-woven materials, light may pass through Soft Sound® in any thickness or color. A translucent appearance is most apparent in lighter colors and thin material when a light source is present behind the material. Arktura makes no claims or warranties about the material performing as opaque in any circumstance. To verify a products performance for light transmittance, a mockup of the specific intended use is recommended.

2 Available Finishes

Baffle Color

Soft Sound® Essentials
Standard



Soft Sound® Wood Texture
Premium

ⓘ As with natural wood, variation in color and grain is expected and grain will not align across panels.





ⓘ Due to the nature of non-woven materials, light may pass through Soft Sound® in any thickness or color. A translucent appearance is most apparent in lighter colors and thin material when a light source is present behind the material. Arktura makes no claims or warranties about the material performing as opaque in any circumstance. To verify a products performance for light transmittance, a mockup of the specific intended use is recommended.

3 Product Specifications & Certifications

System Specs

Dimensions (WxHxD)	Widths	Heights	Lengths
	½”	6”,8”,10” & 12”	2’,3’,4’,5’,6’,7’,8’ & 9’
Fin Material	12mm Soft Sound® (PET)		
Fire Rating	ASTM E84 - Class A		
Acoustics	True NRC® Up to 0.90		
Attachment Method	1/32” Stainless Cable and Hardware		
Accessibility	Yes, quick release cables		
Trimmability	Yes, per installation manual		

Product Certifications

Living Building Challenge

Learn more at living-future.org

Certification for SoundEdge®

This product may be the subject of one or more patents or pending patent applications.
See **www.arktura.com/intellectualproperty** for related patent information.